AMERICAN JOURNAL OF AI CYBER COMPUTING MANAGEMENT
Peer Reviewed, Referred & Indexed Journal
E-ISSN:3069-0102
VOL.6, NO. 1(2026)

SMART FARMING USING PREDICTIVE AI ANALYTICS

[1]SK.AHMED MOHIDDIN, [2]K. CHANDU, [3]V. PRIYA MADHURI, [4]Y. HARATHI,[5] Y. SIVA RAM

[1]ASSOCIATE PROFESSOR, [2345]B. TECH, STUDENTS

DEPARTMENT OF CSE-AIML SRI VASAVI INSTITUTE OF ENGINEERING & TECHNOLOGY, NANDAMURU, ANDHRA PRADESH

ABSTRACT

Smart farming has emerged as a transformative approach to modern agriculture by integrating artificial intelligence, Internet of Things (IoT), and predictive analytics to enhance agricultural productivity and sustainability. Traditional farming practices rely heavily on manual monitoring, farmer experience, and environmental assumptions, which often lead to inefficient resource utilization, unpredictable crop yields, and increased operational costs. The rapid growth of agricultural data generated through sensors, satellite imagery, climate monitoring systems, and soil analysis platforms provides new opportunities for intelligent decision-making. However, conventional analytical methods struggle to process large-scale agricultural datasets with nonlinear relationships and temporal dependencies. This study proposes a smart farming framework based on predictive AI analytics that utilizes advanced machine learning models such as XGBoost and Long Short-Term Memory (LSTM) networks to improve agricultural forecasting and resource management. The proposed system collects data from multiple sources including soil moisture sensors, weather stations, crop health monitoring systems, and historical yield databases. Data preprocessing techniques are applied to remove noise and normalize the datasets before model training. XGBoost is employed for crop yield prediction and soil quality assessment due to its strong performance in structured datasets, while LSTM is used for time-series forecasting of environmental conditions such as rainfall and temperature. The system generates predictive insights that assist farmers in irrigation scheduling, fertilizer optimization, and crop planning. Experimental evaluation demonstrates improved prediction accuracy and enhanced decision support compared to traditional machine learning approaches. The results highlight the potential of AI-driven analytics to improve agricultural productivity, reduce resource wastage, and support sustainable farming practices in data-driven agricultural ecosystems.

Keywords: Smart Farming, Predictive Analytics, Artificial Intelligence, XGBoost, LSTM, Precision Agriculture, Crop Yield Prediction

I INTRODUCTION

Agriculture plays a critical role in global food security and economic stability, particularly in developing nations where a large portion of the population depends on farming for livelihood [1]. Traditional agricultural practices often rely on empirical knowledge and manual observation, which may lead to inefficient resource allocation and inconsistent crop production [2]. The increasing global population and climate variability have intensified the need for innovative agricultural technologies capable of improving productivity while maintaining environmental sustainability [3]. Smart farming has emerged as a promising solution

that integrates digital technologies such as artificial intelligence, machine learning, and IoT-based sensor networks to support data-driven decision-making in agriculture [4]. These technologies enable continuous monitoring of soil conditions, weather patterns, and crop health through connected devices and remote sensing platforms [5]. The availability of large-scale agricultural data has encouraged researchers to explore predictive analytics models capable of extracting meaningful insights from complex datasets [6]. Machine learning algorithms have demonstrated significant potential in predicting crop yield, disease outbreaks, irrigation requirements, and soil nutrient levels [7]. Predictive analytics helps farmers optimize the use of fertilizers, pesticides, and water resources, thereby reducing operational costs and environmental impact [8]. Furthermore, precision agriculture techniques supported by AI technologies have been shown to enhance productivity and improve resource efficiency [9]. The integration of satellite imagery, sensor networks, and cloud computing platforms has created new opportunities for intelligent agricultural monitoring systems [10]. Advanced analytics models also support risk assessment and climate-aware farming strategies [11]. These technologies enable farmers to respond proactively to environmental changes and improve farm management practices [12]. The use of digital agriculture platforms is rapidly increasing due to their ability to provide real-time insights and automated recommendations [13]. However, traditional machine learning techniques often struggle to capture complex nonlinear relationships within agricultural datasets [14]. Agricultural environments involve dynamic interactions among climate variables, soil characteristics, and crop growth patterns [15].

Recent advancements in artificial intelligence have introduced more sophisticated predictive models capable of handling large-scale time-series data and nonlinear patterns [16]. Ensemble learning techniques such as Extreme Gradient Boosting (XGBoost) have demonstrated high accuracy in structured data classification and regression tasks [17]. Similarly, deep learning models such as Long Short-Term Memory (LSTM) networks are widely used for sequential data analysis and environmental forecasting [18]. These models can effectively capture temporal dependencies present in weather and crop growth datasets [19]. Researchers have increasingly explored hybrid AI frameworks that combine multiple algorithms to improve prediction accuracy and system reliability [20]. Smart farming systems utilizing predictive AI analytics can provide automated insights for irrigation scheduling, crop selection, and fertilizer management [21]. Such systems help reduce resource wastage and improve agricultural sustainability [22]. Moreover, real-time monitoring technologies allow farmers to detect crop stress, pest infestations, and nutrient deficiencies at early stages [23]. Integration of AI with IoT platforms also facilitates automated data collection from distributed sensor networks [24]. These intelligent systems enable predictive decision-making based on historical and real-time agricultural data [25]. Data-driven agriculture is becoming a key strategy for improving productivity in regions affected by climate variability [26]. Predictive analytics models can also support long-term agricultural planning and yield forecasting [27]. As the agricultural sector continues to adopt digital technologies, the demand for intelligent data analysis tools is increasing [28]. Therefore, developing an integrated predictive AI framework for smart farming applications is essential for improving agricultural efficiency and sustainability [29]. This

research proposes a predictive analytics-based smart farming system that combines XGBoost and LSTM models to enhance agricultural forecasting and resource management [30].

II LITERATURE SURVEY

Recent research in smart agriculture has focused on integrating artificial intelligence and machine learning technologies to improve crop productivity and resource management [1]. Early studies explored the use of sensor-based monitoring systems to collect real-time data on soil moisture, temperature, and humidity [2]. These systems enabled farmers to automate irrigation processes and optimize water consumption [3]. Researchers also investigated the application of machine learning algorithms for crop yield prediction using historical agricultural datasets [4]. Decision tree models and support vector machines were among the earliest algorithms used for agricultural data analysis [5]. Although these models provided moderate accuracy, they often struggled with complex nonlinear relationships present in large datasets [6]. With the advancement of data mining techniques, ensemble learning algorithms such as Random Forest and Gradient Boosting became popular in agricultural prediction tasks [7]. These methods improved classification and regression performance by combining multiple decision trees [8]. Studies have demonstrated the effectiveness of Random Forest models in predicting crop diseases and soil nutrient levels [9]. Similarly, gradient boosting techniques have been applied for crop yield forecasting and irrigation optimization [10]. The integration of IoT-based sensors has further improved data collection capabilities in smart farming environments [11]. Wireless sensor networks enable continuous monitoring of field conditions and environmental parameters [12]. Cloud-based agricultural platforms have also been developed to store and process large volumes of farming data [13]. Researchers have proposed intelligent irrigation systems that utilize sensor data and predictive models to automate water distribution [14]. Precision agriculture technologies have significantly improved resource utilization and reduced environmental impact [15].

In recent years, deep learning approaches have gained significant attention in agricultural research due to their ability to handle large-scale and complex datasets [16]. Convolutional neural networks have been widely used for crop disease detection and plant health monitoring using image data [17]. These models can identify plant diseases with high accuracy by analyzing leaf images and visual patterns [18]. Recurrent neural networks, particularly Long Short-Term Memory models, are commonly applied for time-series forecasting tasks such as weather prediction and crop growth monitoring [19]. LSTM networks can effectively capture long-term dependencies within environmental datasets [20]. Several studies have combined machine learning and deep learning models to improve agricultural prediction accuracy [21]. Hybrid models integrating Random Forest and neural networks have been used for soil quality analysis and crop recommendation systems [22]. Extreme Gradient Boosting has also shown promising results in structured agricultural datasets due to its high efficiency and scalability [23]. Researchers have applied XGBoost for crop yield prediction, fertilizer recommendation, and pest detection [24]. The integration of predictive analytics with IoT systems has enabled the development of intelligent decision support systems for farmers [25]. These systems analyze real-time data and provide recommendations for irrigation, fertilization, and crop management [26]. Advances in satellite imagery and remote sensing technologies have further enhanced agricultural

monitoring capabilities [27]. Data-driven farming systems can now predict environmental risks and optimize farm operations [28]. Despite these advancements, challenges such as data heterogeneity, sensor reliability, and model scalability still remain [29]. Therefore, developing integrated predictive analytics frameworks that combine machine learning and deep learning techniques is an important research direction in smart farming systems [30].

III METHODOLOGY


The proposed smart farming system utilizes a predictive artificial intelligence framework designed to analyze agricultural data and generate intelligent insights for crop management and resource optimization. The methodology consists of several key stages including data collection, preprocessing, model training, prediction, and decision support generation. Initially, agricultural data is collected from multiple sources such as IoT-based soil sensors, weather monitoring systems, crop growth databases, and historical farm records. These datasets include parameters such as soil moisture, temperature, humidity, rainfall, soil nutrient content, crop type, and past yield information. The collected data is then stored in a centralized cloud database where preprocessing techniques are applied to ensure data quality. Data cleaning procedures are used to remove missing values, noise, and inconsistent entries. Feature engineering techniques are applied to extract relevant attributes that significantly influence crop productivity and environmental conditions. After preprocessing, the dataset is divided into training and testing subsets for model development and evaluation. The predictive analytics framework utilizes two primary machine learning models: XGBoost and Long Short-Term Memory (LSTM). The XGBoost algorithm is used for crop yield prediction and soil quality classification due to its efficiency in handling structured tabular data and its ability to capture nonlinear relationships among variables. LSTM networks are used to analyze time-series environmental data such as rainfall patterns, temperature variations, and seasonal climate trends. The trained models generate predictive outputs that estimate crop productivity and environmental changes. The predictions are further processed through a decision support module that provides actionable recommendations for irrigation scheduling, fertilizer application, and crop planning. The performance of the models is evaluated using standard evaluation metrics such as accuracy, mean squared error, and prediction precision. The final system provides farmers with a user-friendly interface that displays predictive insights and recommended farming strategies.


IV SYSTEM DESIGN

The proposed smart farming system is designed as an integrated architecture that combines IoT-based data acquisition, cloud computing infrastructure, and predictive AI analytics to support intelligent agricultural decision-making. The system architecture consists of several interconnected components including sensor networks, data processing modules, machine learning models, and a user interface platform. At the data acquisition layer, various IoT sensors are deployed in agricultural fields to continuously monitor environmental and soil conditions. These sensors collect real-time data such as soil moisture, soil temperature, humidity levels, rainfall measurements, and nutrient concentrations. Weather monitoring devices are also integrated to capture atmospheric parameters including temperature, wind speed, and precipitation patterns. The collected data is transmitted through wireless communication networks to a centralized cloud

server where it is stored and managed. The cloud platform enables large-scale storage and real-time processing of agricultural datasets. A data preprocessing module is implemented to clean, normalize, and transform the raw sensor data into structured datasets suitable for machine learning analysis. Feature extraction techniques are applied to identify the most influential parameters affecting crop productivity and environmental conditions.







The predictive analytics layer forms the core component of the system design. This layer utilizes advanced machine learning algorithms such as XGBoost and Long Short-Term Memory networks to analyze agricultural data and generate predictive insights. The XGBoost model is responsible for performing crop yield prediction and soil quality classification based on historical farming data and environmental parameters. Meanwhile, the LSTM model analyzes time-series weather and climate datasets to forecast future environmental conditions that may influence crop growth. The outputs generated by these predictive models are processed by a decision support module that translates predictions into practical farming recommendations. These recommendations may include irrigation schedules, fertilizer optimization strategies, and crop selection guidance. The system also includes a visualization interface that allows farmers and agricultural managers to monitor field conditions and predictive results through dashboards and graphical reports. The interface provides real-time alerts and notifications when abnormal environmental conditions or potential crop risks are detected. By integrating IoT technology with predictive AI analytics, the system design enables continuous monitoring, intelligent forecasting, and automated decision support for modern agricultural environments.

V PROPOSED SYSTEM


The proposed system introduces an intelligent smart farming framework that integrates predictive artificial intelligence analytics with IoT-enabled data collection to enhance agricultural productivity and decision-making. The primary objective of the system is to provide farmers with accurate predictions and actionable insights that help optimize farming operations and resource utilization. The system collects agricultural data from multiple sources including soil sensors, environmental monitoring devices, historical farm records, and weather forecasting services. These data sources provide comprehensive information regarding soil moisture levels, nutrient content, rainfall patterns, temperature variations, crop growth conditions, and historical yield statistics. The collected data is transmitted to a cloud-based processing environment where advanced machine

learning algorithms analyze the datasets. The proposed system employs the XGBoost algorithm to perform crop yield prediction and soil fertility assessment. XGBoost is chosen due to its ability to handle large structured datasets efficiently and capture complex relationships among agricultural variables. By analyzing historical farming data along with current environmental conditions, the system can accurately estimate crop productivity and identify potential risks affecting crop growth.

In addition to structured data analysis, the proposed system incorporates a deep learning model based on Long Short-Term Memory networks to process time-series environmental data. Agricultural environments are influenced by seasonal weather patterns and long-term climate trends, which require specialized models capable of capturing temporal dependencies. The LSTM model analyzes sequential weather datasets such as rainfall distribution, temperature fluctuations, and humidity variations to forecast future environmental conditions. These predictions enable farmers to prepare for climate changes and adjust farming strategies accordingly. The outputs generated by both predictive models are integrated into a decision support module that provides practical recommendations for irrigation scheduling, fertilizer management, and crop planning. The system also includes a user-friendly dashboard interface where farmers can view predictive analytics results and monitor farm conditions in real time. Notifications and alerts are generated when unusual environmental conditions or potential crop stress are detected. By combining IoT-based sensing technologies with predictive AI analytics, the proposed system enables proactive agricultural management and data-driven decision-making. This intelligent framework aims to improve crop productivity, reduce resource wastage, and support sustainable farming practices in modern agriculture.

VI RESULTS & DISCUSSION

The experimental evaluation of the proposed predictive AI smart farming system demonstrates significant improvements in agricultural forecasting and decision-making accuracy. The XGBoost model achieved high prediction accuracy for crop yield estimation and soil quality classification when trained on structured agricultural datasets containing soil parameters, climate conditions, and historical yield records. The LSTM model successfully captured temporal patterns in weather data and provided reliable forecasts for rainfall and temperature trends. Performance evaluation using metrics such as accuracy, mean squared error, and prediction precision showed that the hybrid predictive analytics framework outperformed traditional machine learning models used in earlier agricultural studies. The integration of IoT sensor data further improved the reliability of predictions by providing real-time environmental information. Farmers using the system can make informed decisions regarding irrigation scheduling, fertilizer application, and crop selection. Overall, the results demonstrate that predictive AI analytics can significantly enhance smart farming systems by enabling proactive agricultural management and improved resource efficiency.


Smart Crop Yield Prediction
Home
Login
Register
Login


Dataset Features
4000
9
0
26/2/2026
Model Performance Metrics


Admin Portal
Dataset Management
Model Training
Train Models


ML Engineer Portal
Algorithm Performance Comparison


Farmer Portal
Yield Prediction Form
Predict Yield


Research Portal
Export Results
Evaluation Table



VII CONCLUSION

Smart farming technologies have become increasingly important in addressing the challenges of modern agriculture, including climate variability, resource limitations, and growing food demand. This research presented a predictive artificial intelligence framework designed to enhance agricultural productivity through intelligent data analysis and decision support. The proposed system integrates IoT-based sensor networks, cloud computing infrastructure, and advanced machine learning algorithms to create a comprehensive smart farming solution. By utilizing XGBoost for crop yield prediction and soil quality assessment, the system effectively analyzes structured agricultural datasets and identifies critical factors influencing crop productivity. The integration of Long Short-Term Memory networks enables accurate forecasting of environmental conditions by capturing temporal dependencies in weather and climate data. The combination of these predictive models provides a robust analytics framework capable of supporting intelligent agricultural decision-making. The system also incorporates a user-friendly interface that allows farmers to monitor real-time field conditions and receive automated recommendations for irrigation scheduling, fertilizer optimization, and crop planning. Experimental results demonstrated improved prediction accuracy and enhanced decision support compared to traditional analytical approaches. The proposed framework highlights the potential of predictive AI analytics to transform traditional farming practices into data-driven agricultural systems. By enabling proactive farm management and efficient resource utilization, smart farming technologies can contribute to increased crop productivity and sustainable agricultural development. Future research may focus on integrating additional data sources such as satellite imagery, drone-based monitoring systems, and advanced deep learning models to further enhance the accuracy and scalability of intelligent agricultural platforms.

REFERENCES

1. Liakos, K. G., Busato, P., Moshou, D., Pearson, S., & Bochtis, D. (2018). Machine learning in agriculture. Sensors, 18(8), 2674.
2. Kamilaris, A., & Prenafeta-Boldú, F. (2018). Deep learning in agriculture. Computers and Electronics in Agriculture, 147, 70-90.
3. Wolfert, S., Ge, L., Verdouw, C., & Bogaardt, M. (2017). Big data in smart farming. Agricultural Systems, 153, 69-80.
4. Zhang, Q. (2019). Precision agriculture technology. CRC Press.
5. Basso, B., & Antle, J. (2020). Digital agriculture. Nature Sustainability, 3, 627-635.
6. Misra, N., Dixit, Y., Al-Mallahi, A., Bhullar, M., Upadhyay, R., & Martynenko, A. (2020). IoT in agriculture.

Computers and Electronics in Agriculture, 169.

7. Kour, V., & Arora, S. (2020). IoT-based smart farming. Computers and Electronics in Agriculture, 173.
8. Chlingaryan, A., Sukkarieh, S., & Whelan, B. (2018). Machine learning in crop yield prediction. Computers and Electronics in Agriculture, 151, 61-69.
9. Jeong, J. H., Resop, J. P., Mueller, N. D., et al. (2016). Random forest yield prediction. Agricultural and Forest Meteorology, 220, 20-30.
10. Ray, P. P. (2017). Internet of Things for smart agriculture. Journal of Ambient Intelligence, 9(4).
11. Sharma, A., et al. (2020). Smart agriculture monitoring systems. IEEE Access, 8.
12. Patel, K. K., & Patel, S. M. (2016). IoT in agriculture applications. Procedia Computer Science, 70.
13. Verdouw, C., et al. (2016). Smart farming systems. Agricultural Systems, 148.
14. Jiang, P., et al. (2020). AI-based irrigation management. Sensors, 20.
15. Roldán, J. J., et al. (2016). Precision agriculture technologies. Computers and Electronics in Agriculture, 127.
16. Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep Learning. MIT Press.
17. Mohanty, S. P., Hughes, D. P., & Salathé, M. (2016). Plant disease detection. Frontiers in Plant Science, 7.
18. Ferentinos, K. P. (2018). CNN-based plant disease detection. Computers and Electronics in Agriculture, 145.
19. Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. Neural Computation.
20. Gers, F. A., Schmidhuber, J., & Cummins, F. (2000). LSTM learning algorithms. Neural Computation.
21. Chen, T., & Guestrin, C. (2016). XGBoost algorithm. KDD Conference.
22. Breiman, L. (2001). Random forests. Machine Learning, 45(1).
23. Friedman, J. (2001). Gradient boosting machines. Annals of Statistics.
24. Kamble, S., Gunasekaran, A., & Sharma, R. (2020). AI in agriculture supply chain. Technological Forecasting.
25. Wolfert, S., et al. (2017). Smart farming and big data. Agricultural Systems.
26. Zhang, Y., Wang, L., & Duan, Y. (2016). Agricultural IoT systems. Computers and Electronics in Agriculture.
27. Hunt, E., et al. (2019). Satellite remote sensing in agriculture. Remote Sensing.
28. Benos, L., et al. (2021). AI adoption in agriculture. Agronomy.
29. Pathak, H., et al. (2018). Climate-smart agriculture. Agricultural Systems.
30. Zhao, Y., et al. (2021). Data-driven agriculture systems. Computers and Electronics in Agriculture.