AMERICAN JOURNAL OF AI CYBER COMPUTING MANAGEMENT
Peer Reviewed, Referred & Indexed Journal
E-ISSN:3069-0102
VOL.6, NO. 1(2026)

MDE-DRIVEN TOURISM RECOMMENDATION SYSTEM

[1]K. BINDU PRIYA, [2]V VAISHNAVI, [3]K RUPASREE, [4]V HUMANYA SRI LALITHA, [5]N RAMA SATHWIK

[1]Assistant Professor, [2345]Students, Department of Computer Science and Engineering, SRI VASAVI INSTITUTE OF ENGINEERING & TECHNOLOGY, NANDAMURU, ANDHRA PRADESH

ABSTRACT

Tourism recommendation systems have become increasingly important as travelers rely on digital platforms to discover destinations, plan itineraries, and evaluate travel experiences. Traditional recommendation systems often face several challenges, including limited personalization, cold-start problems, static recommendation rules, and lack of transparency in recommendation logic. To address these issues, this research proposes an MDE-Driven Tourism Recommendation System that integrates Model-Driven Engineering (MDE) with hybrid machine learning techniques to provide adaptive and explainable travel recommendations. The proposed framework introduces a JSON-based Domain Specific Language (DSL) that allows dynamic modification of recommendation policies, weighting parameters, and decision constraints without requiring changes to backend code or system redeployment. The system utilizes a hybrid recommendation approach that combines content-based filtering using TF-IDF and cosine similarity with collaborative filtering through matrix factorization to generate personalized destination suggestions. Additionally, sentiment analysis is applied to user reviews to assess qualitative attributes such as safety, affordability, cleanliness, and overall visitor satisfaction. An automated training mechanism continuously updates the recommendation models based on new user feedback and interaction data, thereby improving system accuracy over time. The architecture is designed using a scalable full-stack framework that supports secure authentication, real-time data interaction, and modular extensibility. Furthermore, the system incorporates an explainable recommendation module that improves transparency by presenting the reasoning behind each suggested destination. Experimental evaluation demonstrates that the proposed system improves recommendation accuracy, adaptability, and user trust compared with traditional tourism recommendation models. The framework provides a flexible and intelligent solution suitable for both academic research and practical tourism platforms.

Keywords: Tourism Recommendation System, Model-Driven Engineering, Hybrid Recommendation, Machine Learning, Sentiment Analysis, Explainable AI.

I INTRODUCTION

Tourism has emerged as one of the most rapidly expanding global industries, supported by technological innovations and digital platforms that assist travelers in planning their journeys and discovering destinations. Online travel platforms now provide large volumes of travel-related information, including user reviews, destination descriptions, travel blogs, and multimedia content. However, the enormous amount of available information often creates an overload problem for travelers attempting to identify suitable destinations that match their preferences and travel goals. Recommendation systems have therefore become a critical component of modern tourism applications

because they help filter relevant information and provide personalized suggestions to users [1]. Traditional recommendation systems in tourism commonly rely on collaborative filtering, content-based filtering, or knowledge-based approaches to generate suggestions for destinations, attractions, and travel services [2]. Collaborative filtering methods utilize historical user interaction data to identify similarities among users and predict preferences for new items [3]. Content-based methods, on the other hand, analyze attributes of destinations and match them with user interests or past preferences [4]. Hybrid approaches combine multiple recommendation techniques to improve prediction accuracy and overcome limitations associated with individual algorithms [5]. Despite these advancements, many tourism recommendation systems still struggle with several issues such as cold-start problems, insufficient personalization, limited scalability, and lack of transparency in recommendation logic [6]. Additionally, user preferences in tourism are highly dynamic and influenced by contextual factors such as travel season, budget constraints, location accessibility, and personal interests [7]. These challenges highlight the need for more flexible and adaptive recommendation frameworks capable of integrating multiple data sources and machine learning techniques.

Recent developments in artificial intelligence, data analytics, and model-driven software engineering have created opportunities for building more intelligent tourism recommendation systems. Model-Driven Engineering (MDE) provides a structured approach for designing software systems using models and domain-specific languages that simplify system customization and maintenance [8]. By separating system logic from implementation code, MDE enables developers to modify recommendation rules, feature weights, and decision policies dynamically without redeploying the entire application [9]. Machine learning techniques such as matrix factorization, deep learning, and sentiment analysis further enhance recommendation quality by identifying hidden patterns within user behavior data and textual reviews [10]. Sentiment analysis has become particularly useful in tourism systems because it extracts opinions from user-generated reviews regarding aspects such as safety, affordability, hospitality, and cleanliness [11]. Integrating sentiment insights with recommendation algorithms can significantly improve the relevance of travel suggestions [12]. Moreover, explainable artificial intelligence has recently gained attention in recommendation systems as users increasingly demand transparency regarding how recommendations are generated [13]. Providing interpretable explanations improves user trust and system acceptance [14]. Therefore, combining MDE principles with hybrid recommendation algorithms and explainable AI mechanisms offers a promising solution for developing adaptive, transparent, and scalable tourism recommendation systems. The proposed MDE-Driven Tourism Recommendation System aims to address the limitations of existing models by introducing a flexible architecture that integrates machine learning, sentiment analysis, and dynamic configuration through a domain-specific language [15].

II LITERATURE SURVEY

Research in tourism recommendation systems has evolved significantly over the past decade with the integration of data mining and machine learning techniques. Early tourism recommendation systems primarily relied on collaborative filtering algorithms to analyze user behavior and identify similarities between travelers based on historical

interactions [16]. These systems were effective in environments where sufficient user rating data was available, but they often encountered the cold-start problem when new users or destinations lacked interaction data [17]. Content-based recommendation systems were introduced to address this limitation by analyzing item attributes such as destination categories, geographical features, and travel themes to match them with user preferences [18]. While content-based filtering improves recommendations for new items, it often produces limited diversity because suggestions are restricted to previously observed user interests [19]. Hybrid recommendation systems were subsequently developed to combine collaborative and content-based methods in order to improve recommendation accuracy and robustness [20]. Hybrid approaches use multiple data sources including user ratings, travel history, textual reviews, and contextual data to generate more comprehensive suggestions [21]. Researchers have also explored context-aware recommendation systems that incorporate additional parameters such as time, weather conditions, location, and travel companions to enhance personalization [22]. However, these systems still face challenges in adapting recommendation rules dynamically as user preferences and tourism data continuously evolve [23].

Recent studies have focused on incorporating advanced machine learning models and natural language processing techniques into tourism recommendation systems. Sentiment analysis has gained considerable attention as a method for extracting meaningful insights from large volumes of user-generated reviews available on travel platforms [24]. By analyzing sentiments expressed in reviews, recommendation systems can evaluate qualitative aspects of destinations such as safety, service quality, and visitor satisfaction [25]. Deep learning techniques have also been applied to recommendation systems for capturing complex user preference patterns and improving prediction accuracy [26]. However, deep learning models often require large datasets and high computational resources, which may limit their practical implementation in smaller tourism platforms [27]. To improve system flexibility and maintainability, researchers have started exploring Model-Driven Engineering approaches for designing adaptable recommendation frameworks [28]. MDE enables the creation of domain-specific languages that allow developers and administrators to modify recommendation policies and system behavior without altering the underlying software code [29]. Furthermore, explainable AI techniques are being integrated into recommendation systems to improve transparency and help users understand why specific destinations are suggested [30]. Despite these advancements, there remains a need for systems that integrate hybrid recommendation algorithms, sentiment analysis, dynamic model configuration, and explainable outputs within a unified architecture. The proposed MDE-Driven Tourism Recommendation System addresses these research gaps by combining machine learning models with model-driven configuration capabilities to deliver adaptive, transparent, and scalable tourism recommendations.


III METHODOLOGY


The methodology for the proposed MDE-Driven Tourism Recommendation System involves the integration of data collection, preprocessing, hybrid recommendation modeling, sentiment analysis, and dynamic configuration through Model-Driven Engineering. Initially, tourism data is collected from multiple sources including destination datasets, user reviews, ratings, and travel metadata. The collected data undergoes preprocessing to


remove noise, normalize text content, and structure information into a usable format for machine learning algorithms. Textual reviews are processed using natural language processing techniques such as tokenization, stop-word removal, and stemming in order to extract meaningful textual features. For content-based recommendation, the system applies the TF-IDF technique to represent textual attributes of destinations and user preferences in vector form, followed by cosine similarity calculations to measure similarity between destinations and user interests. In parallel, collaborative filtering is implemented using matrix factorization methods that analyze user-item interaction matrices to identify latent preference patterns among users. The outputs of content-based filtering and collaborative filtering are combined within a hybrid recommendation module to generate accurate and personalized destination suggestions. Additionally, sentiment analysis is performed on user reviews using machine learning or lexicon-based sentiment classification to evaluate qualitative aspects such as safety, affordability, and cleanliness of destinations. The system also incorporates an automated training mechanism that periodically retrains recommendation models based on newly collected interaction data, ensuring that recommendations remain relevant over time. Model-Driven Engineering principles are applied through a JSON-based Domain Specific Language that allows administrators to dynamically adjust recommendation parameters such as feature weights, filtering constraints, and ranking priorities without modifying system code. The methodology further includes an explainable recommendation component that generates human-readable explanations describing the factors influencing each recommendation. This integrated methodological framework ensures adaptability, accuracy, transparency, and scalability in the tourism recommendation system.

IV SYSTEM DESIGN


The system design of the MDE-Driven Tourism Recommendation System follows a modular and scalable architecture that integrates frontend interfaces, backend services, machine learning components, and configuration modules. The architecture is divided into multiple layers including the presentation layer, application layer, data processing layer, and model management layer. The presentation layer provides a user-friendly web interface that allows travelers to register, log in securely, search for destinations, view recommendations, and provide feedback on suggested locations. This interface is designed to ensure smooth user interaction and real-time response through asynchronous communication with backend services. The application layer manages user authentication, session handling, recommendation requests, and communication with machine learning services. Secure authentication mechanisms ensure that user data and preferences remain protected while interacting with the system. The backend also contains API services responsible for retrieving tourism data, managing user profiles, and storing feedback information. A centralized database stores destination attributes, user reviews, travel categories, and interaction histories required for generating recommendations. This data management layer ensures that structured and unstructured data can be accessed efficiently by the recommendation engine.









The data processing and model management layer forms the core intelligence of the system. This layer integrates the hybrid recommendation engine, sentiment analysis module, and model training components. The hybrid recommendation engine processes destination metadata and user interaction data to generate recommendations using both content-based filtering and collaborative filtering techniques. Content-based filtering analyzes destination attributes such as categories, attractions, climate, and travel themes, while collaborative filtering identifies relationships among users with similar travel behaviors. The sentiment analysis module processes user reviews to extract positive or negative opinions regarding destination characteristics such as safety, cleanliness, cost, and hospitality. These insights are integrated into the recommendation scoring mechanism to enhance the relevance of suggested destinations. A key component of the system design is the Model-Driven Engineering configuration module, which includes a JSON-based Domain Specific Language that enables administrators to modify recommendation rules, weighting factors, and filtering constraints dynamically. This configuration module separates system logic from implementation code, allowing rapid adjustments without requiring system redeployment. The design also includes an explainable recommendation module that generates transparent explanations for suggested destinations by highlighting influential features such as user preferences, positive review sentiments, or similarity scores. Overall, the modular design ensures scalability, flexibility, and ease of maintenance for future enhancements such as multilingual support, external API integration, and location-aware recommendation services.







V PROPOSED SYSTEM

The proposed MDE-Driven Tourism Recommendation System introduces an intelligent and flexible framework designed to address the limitations of conventional tourism recommendation models. The system integrates hybrid recommendation techniques, sentiment analysis, and Model-Driven Engineering to create a dynamic and adaptable recommendation platform. Unlike traditional systems that rely on fixed recommendation algorithms, the proposed system enables administrators to configure recommendation policies through a Domain Specific Language implemented using JSON structures. This DSL allows the modification of parameters such as feature weights, filtering constraints, ranking strategies, and user preference priorities without altering the backend code. The system collects user interaction data including search history, destination ratings, and textual reviews to continuously improve recommendation quality. Content-based filtering techniques analyze destination features such as location, attractions, climate, cultural significance, and travel themes to match them with user interests. Simultaneously, collaborative filtering identifies patterns among users with similar travel preferences and predicts potential destinations that may appeal to new users. The integration of these two techniques creates a hybrid recommendation engine capable of generating more accurate and diverse suggestions while reducing the impact of cold-start problems.

Another significant component of the proposed system is the incorporation of sentiment-aware analysis and explainable recommendations. User-generated reviews contain valuable insights regarding tourist experiences and satisfaction levels. The system applies natural language processing techniques to analyze these reviews and determine sentiment polarity related to key aspects such as safety, affordability, service quality, accessibility, and cleanliness. These sentiment scores are integrated into the recommendation ranking process so that destinations with consistently positive feedback receive higher recommendation priority. Additionally, the system includes an automated training module that periodically updates the machine learning models using newly collected user interaction data. This ensures that the system adapts to changing user preferences and emerging travel trends. The proposed architecture also incorporates an explainable AI module that generates human-readable explanations for each recommendation. For example, the system may explain that a destination was recommended because it matches the user's interest in cultural heritage sites and has received highly positive safety and cleanliness reviews. This transparency improves user trust and satisfaction with the recommendation process. Overall, the proposed system delivers a scalable, adaptive, and intelligent tourism recommendation


platform capable of supporting both academic research and real-world tourism applications.


RESULTS & DISCUSSION


The proposed MDE-Driven Tourism Recommendation System was evaluated using tourism datasets containing destination descriptions, user ratings, and textual reviews. Experimental analysis demonstrated that the hybrid recommendation model achieved higher recommendation accuracy compared with individual content-based and collaborative filtering approaches. The integration of TF-IDF and cosine similarity enabled effective matching between user preferences and destination attributes, while matrix factorization improved prediction of user interests based on historical interactions. Sentiment analysis of user reviews significantly enhanced recommendation relevance by incorporating qualitative feedback regarding safety, affordability, and visitor satisfaction. Additionally, the use of a JSON-based Domain Specific Language allowed administrators to modify recommendation parameters dynamically without affecting system stability. The explainable recommendation module improved user understanding of the recommendation process, increasing transparency and trust. Overall, the system demonstrated improved adaptability, personalization, and accuracy compared with traditional tourism recommendation systems.
















VII CONCLUSION

The development of intelligent tourism recommendation systems has become essential due to the rapid growth of online travel information and the increasing demand for personalized travel experiences. This study presented an MDE-Driven Tourism Recommendation System that integrates hybrid machine learning techniques with Model-Driven Engineering to create a flexible and adaptive recommendation framework. The proposed system combines content-based filtering and collaborative filtering to generate personalized travel recommendations while addressing common challenges such as cold-start problems and limited recommendation diversity. The integration of sentiment analysis further enhances recommendation quality by extracting valuable insights from user-generated reviews regarding destination characteristics such as safety, affordability, cleanliness, and overall satisfaction. A key contribution of this research is the introduction of a JSON-based Domain Specific Language that enables dynamic modification of recommendation policies and feature weights without altering backend code or redeploying the system. This approach improves system maintainability and allows administrators to adjust recommendation strategies as tourism data and user preferences evolve. The inclusion of an explainable recommendation module also increases transparency by providing users with clear explanations for suggested destinations, thereby improving trust and usability. Experimental results demonstrate that the proposed system delivers higher recommendation accuracy and improved adaptability compared with traditional tourism recommendation approaches. The modular architecture also supports scalability and future enhancements such as multilingual support, integration with external tourism APIs, and location-aware recommendations. Overall, the proposed system offers a practical and intelligent solution for modern tourism platforms and contributes to ongoing research in recommendation systems and model-driven software engineering.

REFERENCES

1. Ricci, F., Rokach, L., & Shapira, B. (2015). Recommender systems handbook. Springer.
2. Adomavicius, G., &Tuzhilin, A. (2005). Toward the next generation of recommender systems. IEEE Transactions on Knowledge and Data Engineering.
3. Schafer, J., Konstan, J., & Riedl, J. (2007). Recommender systems in e-commerce. IEEE Internet Computing.
4. Pazzani, M., &Billsus, D. (2007). Content-based recommendation systems. The Adaptive Web.

5. Burke, R. (2002). Hybrid recommender systems. User Modeling and User-Adapted Interaction.
6. Bobadilla, J., Ortega, F., Hernando, A., & Gutierrez, A. (2013). Recommender systems survey. Knowledge-Based Systems.
7. Felfernig, A., & Burke, R. (2008). Constraint-based recommender systems. AI Magazine.
8. Schmidt, D. (2006). Model-driven engineering. IEEE Computer.
9. France, R., &Rumpe, B. (2007). Model-driven development of complex software. Future of Software Engineering.
10. Koren, Y., Bell, R., & Volinsky, C. (2009). Matrix factorization techniques for recommender systems. Computer.
11. Liu, B. (2012). Sentiment analysis and opinion mining. Morgan & Claypool.
12. Pang, B., & Lee, L. (2008). Opinion mining and sentiment analysis. Foundations and Trends in Information Retrieval.
13. Zhang, Y., & Chen, X. (2020). Explainable recommendation systems. ACM Computing Surveys.
14. Tintarev, N., &Masthoff, J. (2015). Explaining recommendations. Recommender Systems Handbook.
15. Jannach, D., Zanker, M., Felfernig, A., & Friedrich, G. (2011). Recommender systems: An introduction. Cambridge University Press.
16. Sarwar, B., Karypis, G., Konstan, J., & Riedl, J. (2001). Item-based collaborative filtering. WWW Conference.
17. Lam, X., Vu, T., Le, T., & Duong, A. (2008). Addressing cold-start problem. ACM Conference.
18. Lops, P., De Gemmis, M., & Semeraro, G. (2011). Content-based recommender systems. Recommender Systems Handbook.
19. Aggarwal, C. (2016). Recommender systems: The textbook. Springer.
20. Burke, R. (2007). Hybrid web recommender systems. The Adaptive Web.
21. Cantador, I., Fernández-Tobías, I., &Bellogín, A. (2015). Context-aware recommendations. ACM Conference.
22. Baltrunas, L., Ludwig, B., & Ricci, F. (2011). Context-aware tourism recommendations. RecSys Conference.
23. Zheng, Y., et al. (2012). Context-aware recommendation for tourism. IEEE Transactions.
24. Feldman, R. (2013). Techniques in sentiment analysis. Communications of the ACM.
25. Cambria, E., & White, B. (2014). Jumping NLP curves. IEEE Computational Intelligence Magazine.
26. He, X., et al. (2017). Neural collaborative filtering. WWW Conference.
27. Zhang, S., Yao, L., Sun, A., & Tay, Y. (2019). Deep learning based recommender systems. ACM Computing Surveys.

28. Brambilla, M., Cabot, J., & Wimmer, M. (2017). Model-driven software engineering. Morgan Kaufmann.

29. Kelly, S., & Tolvanen, J. (2008). Domain-specific modeling. Wiley.

30. Miller, T. (2019). Explanation in artificial intelligence. Artificial Intelligence Journal.