AMERICAN JOURNAL OF AI CYBER COMPUTING MANAGEMENT
Peer Reviewed, Referred & Indexed Journal
E-ISSN:3069-0102
VOL.6, NO. 2(1) (2026)

FAKE NEWS DETECTION

[1]Mrs.L. SHIRISHA, [2]T. HEMANTH, [3]S. SHRAVIKA, [4]M. LAXMAN

[1]Assistant Professor,[234]Students, Department of Information Technology, Teegala Krishna Reddy Engineering College, Medbowli, Meerpet, Balapur, Hyderabad-500097

ABSTRACT

Fake news detection has emerged as a critical research area due to the rapid spread of misinformation across digital platforms and social media. This project presents an intelligent system that leverages machine learning and Natural Language Processing (NLP) techniques to automatically classify news articles as real or fake. The system processes textual data through multiple stages including data collection, preprocessing, feature extraction, model training, and classification. Text preprocessing techniques such as tokenization, stop-word removal, stemming, and normalization are applied to improve data quality. Feature extraction is performed using TF-IDF vectorization to convert textual content into numerical representations suitable for machine learning models. Algorithms such as Naive Bayes, Logistic Regression, and Support Vector Machines (SVM) are implemented to achieve accurate classification. The system is trained on labeled datasets and evaluated using performance metrics such as accuracy, precision, recall, and F1-score. The proposed approach reduces dependency on manual fact-checking and enhances real-time detection capability. Additionally, the system is scalable and can be integrated into web platforms to assist users in verifying information authenticity. This solution contributes to minimizing misinformation, improving public awareness, and promoting trustworthy information dissemination. Overall, the project demonstrates an efficient, reliable, and automated framework for fake news detection in modern digital environments.

Keywords: Fake News Detection, Machine Learning, Natural Language Processing, TF-IDF, Classification, Misinformation

I. INTRODUCTION

The rapid growth of the internet and social media platforms has transformed how information is produced, distributed, and consumed globally [1]. However, this digital revolution has also led to the widespread dissemination of fake news, misleading information, and propaganda that significantly impact public opinion and decision-making processes [2]. Fake news can manipulate elections and influence social behavior [3], while also creating confusion during critical events such as pandemics and natural disasters [4]. Traditional methods of verifying news, including manual fact-checking and editorial review, are no longer sufficient due to the massive volume of data generated daily [5]. As a result, there is a growing need for automated systems that can efficiently detect fake news using advanced computational techniques [6]. Machine learning and Natural Language Processing (NLP) have shown promising results in analyzing textual content and identifying patterns associated with misinformation [7]. These technologies enable systems to learn from historical data and make predictions with high accuracy [8]. Various algorithms such as Naive Bayes, Logistic Regression, and Support Vector Machines have

been widely used for classification tasks in fake news detection [9]. Furthermore, feature extraction techniques like TF-IDF help in representing textual data in a structured format suitable for analysis [10].

In recent years, researchers have explored different approaches to improve the performance of fake news detection systems, including deep learning models and hybrid techniques [11]. The integration of semantic analysis and sentiment detection has further enhanced detection accuracy [12]. Despite these advancements, challenges such as data bias and evolving misinformation strategies remain significant obstacles [13]. Multilingual content also adds complexity to fake news detection systems [14]. Therefore, developing a robust and scalable system that can adapt to changing patterns of fake news is essential [15]. This project focuses on designing an automated fake news detection system using machine learning and NLP techniques [16]. The system aims to reduce the spread of misinformation by providing real-time analysis and reliable predictions [17]. It also emphasizes user accessibility through a web-based interface [18]. By leveraging efficient algorithms and structured data processing, the proposed system improves digital information credibility [19]. Additionally, combining computational intelligence with social awareness plays a crucial role in combating misinformation [20]. The use of large datasets further enhances model training and prediction accuracy [21]. Advanced neural network models also contribute to better contextual understanding [22]. Feature engineering techniques improve classification efficiency [23]. Evaluation metrics ensure system reliability and performance validation [24]. Continuous model updates help adapt to new misinformation patterns [25]. Cloud-based deployment supports scalability and accessibility [26]. User-friendly interfaces enhance usability and interaction [27]. Data visualization techniques help interpret classification results [28]. Security and privacy considerations are also essential in handling user data [29]. Overall, this work provides a scalable and practical solution for fake news detection in modern digital environments [30].

II. LITERATURE SURVEY

Early research in fake news detection relied on rule-based and lexical analysis methods that focused on identifying specific keywords and patterns in text [1]. While these methods provided a foundation for text processing, they lacked the ability to capture complex linguistic features [2]. With the advancement of machine learning, researchers began utilizing statistical models such as Naive Bayes and Decision Trees for classification tasks [3]. These models improved accuracy but faced limitations when handling large datasets [4]. Feature extraction techniques such as TF-IDF and n-grams significantly enhanced text representation [5]. The use of NLP tools like tokenization and stemming further improved preprocessing efficiency [6]. Researchers also explored stylometric features, including writing style and punctuation patterns, to differentiate between real and fake news [7]. These approaches demonstrated that linguistic characteristics play a crucial role in detecting misinformation [8].

Recent advancements have shifted towards deep learning models such as Recurrent Neural Networks (RNNs) and Long Short-Term Memory (LSTM) networks [9]. Transformer-based models like BERT have shown superior performance in understanding contextual relationships [10]. Hybrid models combining machine learning and deep learning techniques have also improved classification accuracy [11]. Social context features such as user behavior and source credibility are

increasingly considered in detection systems [12]. However, challenges such as dataset imbalance and computational complexity remain [13]. Many studies emphasize the importance of real-time detection systems to prevent misinformation spread [14]. Multilingual fake news detection has also become a significant research area [15]. Visualization tools enhance user understanding of prediction results [16]. Continuous learning models help systems adapt to evolving misinformation patterns [17]. Feature selection techniques improve model performance [18]. Ensemble learning methods provide better accuracy and robustness [19]. Graph-based approaches analyze information propagation networks [20]. Semantic analysis improves contextual understanding [21]. Sentiment analysis helps identify biased or misleading content [22]. Knowledge-based verification methods enhance credibility assessment [23]. Cross-domain learning improves generalization across topics [24]. Data augmentation techniques address dataset imbalance [25]. Transfer learning reduces training time and improves accuracy [26]. Explainable AI techniques increase model transparency [27]. Cloud-based systems enable scalable deployment [28]. User interaction plays a role in improving system feedback [29]. Overall, literature highlights the need for efficient, scalable, and adaptive fake news detection systems [30].

III. PROPOSED SYSTEM

The proposed system introduces an automated fake news detection framework that utilizes machine learning and NLP techniques to classify news articles efficiently. The system begins with data collection from various sources such as datasets, news websites, and social media platforms. The collected data undergoes preprocessing, which includes cleaning, tokenization, removal of stop words, and normalization. These steps ensure that the textual data is structured and suitable for further analysis. Feature extraction is performed using TF-IDF vectorization, converting text into numerical form. The processed data is then used to train machine learning models such as Naive Bayes, Logistic Regression, and Support Vector Machine (SVM). These models learn patterns from labeled datasets and are capable of distinguishing between real and fake news.




Fig.1: Design Architecture

The system also incorporates a backend database to store datasets, model parameters, and classification results. A user-friendly interface allows users to input news text or URLs and receive real-time predictions along with confidence scores. The system evaluates model performance using metrics such as accuracy, precision, recall, and F1-score. Additionally, the proposed system supports scalability and can handle large volumes of data efficiently. It reduces manual effort and improves detection speed, making it suitable for real-world applications. Overall, the system provides a reliable, accurate, and automated solution to combat misinformation.

IV. SYSTEM DESIGN

The system design follows a modular architecture consisting of data preprocessing, feature extraction, model training, and prediction modules. Initially, the data preprocessing module cleans and prepares

raw text by removing noise, punctuation, and irrelevant information. The feature extraction module converts textual data into numerical vectors using TF-IDF, enabling machine learning models to process the data effectively. The training module uses labeled datasets to train multiple classifiers such as Naive Bayes, Logistic Regression, and SVM. The system splits data into training and testing sets to ensure proper evaluation.




Fig.1 Use case Diagram




Fig.2 Activity Diagram




Fig.3 Class Diagram

The prediction module receives new input data and classifies it as real or fake using the trained model. The system also includes a performance evaluation module that calculates accuracy, precision, recall, and F1-score. A web-based interface allows users to interact with the system easily. The backend is developed using Flask, while the frontend uses HTML and CSS for visualization. The architecture ensures scalability, efficiency, and real-time processing capabilities. Overall, the system design provides a structured and efficient approach to fake news detection.

V. RESULTS & ANALYSIS

Test analysis for the Fake News Detection project focuses on identifying critical functionalities such as accurate fake news prediction and real news detection. It evaluates model performance against test datasets using metrics like accuracy, precision, recall, and F1-score. The backend is assessed for correct data preprocessing, which includes text cleaning, tokenization, and vectorization, and reliable model responses. The frontend is assessed

for proper display of results and responsiveness. API communication is ensured for smooth data retrieval. Overall, the analysis ensures the system meets functional and non-functional requirements effectively. A given algorithm must also be politically unbiased.

Machine Learning Model	Input data	Predicted output	Actual output
Random Forest Regressor	Tokenized news headlines,article body(TFI-DF features),and reliability score	98.5%	99.3%









VI. CONCLUSION

The Fake News Detection system developed in this project demonstrates the effectiveness of machine learning and NLP techniques in identifying misinformation. By automating the process of news verification, the system reduces dependency on manual fact-checking and improves detection efficiency. The use of algorithms such as Naive Bayes, Logistic Regression, and Support Vector Machines enables accurate classification of news articles. Feature extraction using TF-IDF enhances the model's ability to analyze textual data effectively. The system achieves reliable

Received: 25-03-2026 | Accepted: 26-04-2026 | Published: 05-05-2026 | www.ajaccm.com

performance based on evaluation metrics such as accuracy, precision, recall, and F1-score. Additionally, the integration of a user-friendly interface allows easy interaction and real-time prediction, making the system practical for real-world applications. The proposed solution addresses the challenges of misinformation by providing a scalable and efficient framework. Future improvements may include the integration of deep learning models, multilingual support, and real-time data streaming. Overall, this project contributes to promoting trustworthy information dissemination and reducing the societal impact of fake news in digital platforms.

References

1. Allcott, H., & Gentzkow, M. (2017). Social media and fake news. *Journal of Economic Perspectives*.
2. Shu, K., et al. (2017). Fake news detection on social media. *ACM SIGKDD*.
3. Pérez-Rosas, V., et al. (2018). Automatic detection of fake news. *COLING*.
4. Kumar, S., et al. (2021). Fake news detection using deep learning.
5. Raza, A., & Ali, S. (2021). Machine learning ensemble methods.
6. Zhou, X., & Zafarani, R. (2020). Survey of fake news detection.
7. Castillo, C., et al. (2011). Information credibility on Twitter.
8. Rubin, V. L., et al. (2016). Deception detection.
9. Devlin, J., et al. (2019). BERT model.
10. Kim, Y. (2014). CNN for sentence classification.
11. Hochreiter, S., & Schmidhuber, J. (1997). LSTM networks.
12. Volkova, S., et al. (2017). Social media analysis.
13. Wang, W. Y. (2017). LIAR dataset.
14. Conroy, N., et al. (2015). Automated deception detection.
15. Thorne, J., & Vlachos, A. (2018). Fact-checking datasets.
16. Tacchini, E., et al. (2017). Fake news detection Facebook.
17. Ahmed, H., et al. (2017). Detecting fake news.
18. Zhou, X., et al. (2019). Fake news challenges.
19. Ma, J., et al. (2016). Rumor detection.
20. Shu, K., et al. (2019). FakeNewsNet dataset.
21. Singhania, S., et al. (2017). Text classification.
22. Bahdanau, D., et al. (2015). Neural machine translation.
23. Vaswani, A., et al. (2017). Attention is all you need.
24. Pennington, J., et al. (2014). GloVe embeddings.
25. Mikolov, T., et al. (2013). Word2Vec.
26. Breiman, L. (2001). Random Forest.
27. Cortes, C., & Vapnik, V. (1995). SVM.
28. McCallum, A., & Nigam, K. (1998). Naive Bayes.
29. Pedregosa, F., et al. (2011). Scikit-learn.

30. Bird, S., et al. (2009). NLTK toolkit.