AMERICAN JOURNAL OF AI CYBER COMPUTING MANAGEMENT
Peer Reviewed, Referred & Indexed Journal
E-ISSN:3069-0102
VOL.6, NO. 1(2026)

Ai-Powered Cyber security and Healthcare Data Protection for Enhancing Patient Trust and Information Security in Multi-Specialty Hospitals

DR. Hari Prakash Telukuntla

Assistant Professor, Department of Business Management,
Aurora's PG College, Uppal, Hyderabad, Telangana

Email: thariprakash79@gmail.com

Abstract— Multi-specialty hospitals generate and store vast volumes of sensitive patient information—electronic health records (EHRs), diagnostic imaging, billing data, and insurance details—making them prime targets for cyberattacks. Healthcare has consistently ranked as the costliest sector for data breaches globally, with attackers exploiting outdated infrastructure, weak access controls, and human error. This paper examines how Artificial Intelligence (AI)-powered cybersecurity tools—anomaly detection, predictive threat intelligence, behavioural biometrics, and automated incident response—are being adopted by multi-specialty hospitals to protect patient data, and how this adoption influences patient trust and perceived information security. Primary data was collected through a structured questionnaire administered to 150 respondents, comprising hospital IT/security staff, hospital administrators, and patients across multiple multi-specialty hospitals. Secondary data was drawn from CERT-In advisories, IBM/Ponemon Cost of a Data Breach reports, HIPAA Journal breach statistics, and India's Digital Personal Data Protection Act, 2023. Findings indicate that AI-based anomaly detection and access-control systems significantly reduce incident response time and are positively correlated with patient trust, while high implementation cost, legacy-system integration challenges, and shortage of skilled cybersecurity personnel remain the principal barriers to adoption. The study recommends phased AI adoption, staff training, regulatory alignment, and transparent breach-communication practices to strengthen both information security and patient confidence.

Keywords: *AI cybersecurity, healthcare data protection, patient trust, information security, multi-specialty hospitals, electronic health records, threat detection, data breach, HIPAA compliance, artificial intelligence.*

1. INTRODUCTION

Healthcare institutions have undergone rapid digitization over the past decade, transitioning from paper-based records to electronic health records (EHRs), cloud-hosted diagnostic systems, connected medical devices (IoMT), and hospital information management systems. While this transformation has improved clinical efficiency and patient convenience, it has simultaneously expanded the attack surface available to cybercriminals.

Multi-specialty hospitals are particularly vulnerable because they operate multiple interconnected departments—radiology, pathology, pharmacy, billing, and administration—each generating and exchanging sensitive data across systems that are often only partially integrated. A single compromised endpoint, such as an unpatched imaging workstation or an employee's phishing-compromised email account, can provide attackers a pathway into the hospital's broader network.

Industry reports have consistently identified healthcare as the sector with the highest average cost per data breach, driven by the sensitivity of medical records, regulatory penalties, and the reputational damage of compromised patient trust. In response, hospitals are increasingly turning to Artificial Intelligence (AI)-powered

cybersecurity solutions—machine-learning-based anomaly detection, natural-language-processing (NLP) tools for phishing-email identification, behavioural biometrics for access control, and automated Security Orchestration, Automation and Response (SOAR) systems—to detect and neutralize threats faster than traditional rule-based security software.

Regulatory frameworks have also evolved to reflect this urgency. In India, the Digital Personal Data Protection Act, 2023 imposes obligations on healthcare data fiduciaries regarding consent, breach notification, and data-minimization, while globally, HIPAA (United States) and GDPR (European Union) continue to set the compliance benchmark for healthcare data handling.

AI-driven security is also reshaping how hospitals approach risk more broadly: rather than reacting to breaches after they occur, predictive threat-intelligence models allow security teams to anticipate likely attack vectors based on evolving global threat data, shifting the posture from reactive containment to proactive prevention.

Background: The Indian Computer Emergency Response Team (CERT-In) has repeatedly flagged the healthcare sector as a high-risk target, noting a marked rise in ransomware and data-exfiltration attempts against hospital networks. At the same time, patient willingness to adopt digital health services—teleconsultation, health apps, wearable integration—depends heavily on their confidence that personal health information will remain secure, making cybersecurity not merely a technical requirement but a direct driver of patient trust and digital-health adoption.

This paper investigates how AI-powered cybersecurity measures are being implemented in multi-specialty hospitals, the barriers to their adoption, and their measurable effect on patient trust and perceived information security.

2. OBJECTIVES OF THE STUDY

- Identify the major cybersecurity threats faced by multi-specialty hospitals in managing patient data.
- Examine the role of AI-based tools (anomaly detection, predictive analytics, biometric access control) in strengthening healthcare data protection.
- Analyze the relationship between AI-driven security measures and patient trust in hospital data handling.
- Identify the operational, financial, and human-resource challenges in implementing AI cybersecurity solutions in hospitals.
- Suggest strategies for hospitals to enhance information security and patient confidence through AI adoption.

3. LITERATURE REVIEW

[1] Topol (2019) argued that AI's integration into healthcare extends beyond clinical diagnosis into operational domains including cybersecurity, where machine-learning models can detect anomalous data-access patterns far faster than manual audit.

[2] Ponemon Institute / IBM (2023) reported that healthcare has held the position of costliest industry for data breaches for thirteen consecutive years, with average breach costs substantially higher than the cross-industry average.

[3] Kruse et al. (2017) conducted a systematic review identifying malware, insider threats, and device loss as the three leading causes of healthcare data breaches across the United States.

[4] CERT-In (2023) issued advisories warning Indian hospitals of increased ransomware targeting, recommending network segmentation and multi-factor authentication as baseline defences.

[5] Government of India (2023) enacted the Digital Personal Data Protection Act, establishing consent, purpose-limitation, and breach-notification obligations for entities processing health data.

[6] He et al. (2021) demonstrated that machine-learning-based intrusion-detection systems achieve higher accuracy and lower false-positive rates than signature-based systems in hospital network environments.

[7] ENISA (2022) Threat Landscape for the Health Sector identified ransomware, data breaches through third-party suppliers, and phishing as the dominant attack vectors against European hospitals.

[8] Kwon and Johnson (2018) found a statistically significant relationship between hospital IT security investment and reduced breach frequency, though returns diminished beyond a certain investment threshold.

[9] Chen and Zhao (2020) proposed blockchain-integrated EHR architectures to enhance data integrity and auditability, noting adoption remains limited due to interoperability and scalability concerns.

[10] HIPAA Journal (2023) reported that phishing and business-email-compromise attacks accounted for the largest share of reported healthcare-sector breaches in the United States.

[11] Zero Trust Architecture studies (NIST, 2020) recommended continuous verification and least-privilege access as core principles for securing distributed healthcare IT environments.

[12] Sharma and Verma (2022) surveyed Indian hospital IT administrators, finding that budget constraints and shortage of trained cybersecurity personnel were the most cited barriers to adopting advanced security tools.

[13] Gupta et al. (2021) found that patients' willingness to share health data digitally was strongly influenced by their perception of the hospital's data-security reputation, more so than by the perceived clinical benefit of digital services.

[14] World Health Organization (2021) emphasized that robust health-data governance frameworks are prerequisites for scaling digital health services, including telemedicine and AI-assisted diagnostics.

[15] Deloitte (2022) reported that hospitals using AI-based Security Orchestration, Automation and Response (SOAR) platforms reduced average incident-response time significantly compared to hospitals relying on manual response protocols.

[16] Ponemon Institute (2022) found that breach-notification transparency and speed of hospital response were more strongly correlated with retained patient trust than the severity of the breach itself.

4. RESEARCH METHODOLOGY

A mixed-methods approach was used, combining quantitative survey data from hospital IT/security personnel and patients with qualitative insights from open-ended responses on perceived security concerns and trust factors.

4.1 Research Design

Descriptive and exploratory research design was adopted. The descriptive component quantifies the prevalence of cybersecurity incidents, AI-tool adoption rates, and patient trust levels, while the exploratory component investigates underlying attitudes toward AI-driven security measures through open-ended responses.

The study is cross-sectional, capturing perceptions at a single point in time rather than tracking changes as hospitals mature their security posture. This design allows a broad comparative snapshot across hospital roles and sizes within the constraints of the research timeline, though it does not capture how trust or adoption evolves following an actual breach event.

4.2 Data Sources

- **Primary Data:** A structured questionnaire was administered to 150 respondents—hospital IT/security staff, hospital administrators, and patients—covering awareness of cybersecurity incidents, AI-tool usage, perceived effectiveness, and trust in hospital data handling.
- **Secondary Data:** CERT-In advisories, IBM/Ponemon Cost of a Data Breach Reports, HIPAA Journal breach statistics,

ENISA Threat Landscape reports, and India's Digital Personal Data Protection Act, 2023.

4.3 Sample Size

Convenience sampling was used to select 150 respondents across three multi-specialty hospitals: 45 IT/security staff, 35 hospital administrators, and 70 patients. Respondents were distributed across departments including radiology, billing, pharmacy, and general administration to capture cross-functional perspectives on data-security practices.

The questionnaire was distributed through hospital IT departments for staff and administrator responses, and through in-person intercepts at outpatient waiting areas for patient responses, ensuring representation across both technical and consumer perspectives on hospital cybersecurity.

4.4 Tools for Analysis

- Descriptive statistics: percentage and frequency distribution analysis.
- Five-point Likert scale mean scoring for perceived effectiveness and trust items.
- Cross-tabulation of hospital size/department against AI-tool adoption.
- Chi-square test for association between hospital size and AI cybersecurity adoption.
- Pearson correlation between AI-security perception scores and patient-trust scores.
- Thematic analysis of open-ended responses on adoption barriers.

4.5 Limitations of the Study

- Convenience sampling across three hospitals limits generalizability to the broader hospital sector.
- Self-reported data on security incidents may under-report actual breach frequency due to institutional reputational concerns.
- The cross-sectional design cannot establish causal direction between AI adoption and trust levels.
- The study does not differentiate between in-house AI security tools and third-party managed security services.

5. DATA ANALYSIS AND INTERPRETATION

5.1 AI-Powered Cybersecurity Tools and Functions

Hospital cybersecurity practices were mapped against the core AI-based tools currently deployed or under evaluation across the surveyed institutions, summarized in Table I.

AI Tool/Technique	Function
Anomaly Detection (ML)	Flags unusual access/data-transfer patterns in real time
NLP-based Phishing Detection	Scans emails for social-engineering indicators
Behavioural Biometrics	Authenticates users via typing/access patterns
Predictive Threat Intelligence	Forecasts likely attack vectors from threat data
Automated Incident Response (SOAR)	Contains and remediates threats without manual intervention
Blockchain-based EHR Integrity	Ensures tamper-evident patient record history

Table I: AI-Powered Cybersecurity Tools and Functions in Hospitals

5.2 Demographic Profile of Respondents

The sample of 150 respondents was distributed across role and hospital size as summarized in Table II, providing the base for subsequent cross-tabulation analysis.

Category	Segment	Percentage
Role	IT/Security Staff	30%
Role	Hospital Administrators	23.3%
Role	Patients	46.7%
Hospital Size	Large (500+ beds)	41%
Hospital Size	Mid-size (150–500 beds)	59%

Table II: Demographic Profile of Respondents

5.3 Types of Cybersecurity Incidents Reported

Respondents with awareness of hospital security incidents (IT/security staff and administrators) reported the incident types shown in Table III, with phishing and social

engineering emerging as the dominant category.

Incident Type	Reported Share
Phishing/Social Engineering	34%
Ransomware/Malware	26%
Unauthorized Access/Insider Misuse	21%
Device Theft/Loss	12%
Other Incidents	7%

Table III: Types of Cybersecurity Incidents Reported

5.4 Perceived Effectiveness of AI Security Measures

Respondents rated AI security measures on a five-point Likert scale (1 = Strongly Disagree, 5 = Strongly Agree). Faster threat detection scored highest, while full trust in autonomous AI decision-making scored lowest.

Factor	Mean Score	Rank
Faster threat detection	4.4	1
Reduced false alarms vs legacy tools	4.0	2
Improved access-control accuracy	3.9	3
Easy integration with existing systems	3.1	4
Fully trust AI-only decision making	2.7	5

Table IV: Mean Likert Scores of Perceived AI Security Effectiveness

5.5 Barriers to AI Cybersecurity Adoption

Respondents identifying obstacles to AI cybersecurity implementation cited the barriers summarized in Table V, with cost and legacy-system integration as the two leading concerns.

Barrier	Share of Responses
High implementation/licensing cost	33%
Legacy-system integration difficulty	27%
Shortage of skilled cybersecurity staff	21%
Data-privacy/regulatory ambiguity	12%
Resistance to change among staff	7%

Table V: Barriers to AI Cybersecurity Adoption in Hospitals

5.6 AI Tool Adoption Rate by Hospital Department

Adoption of AI-based cybersecurity tools varies considerably by department, with IT/network security departments showing the highest adoption and general administration lagging behind, as shown in Table VI.

Department	Adoption Rate
IT/Network Security	68%
Billing/Finance	41%
Radiology/Diagnostics	38%
Pharmacy	29%
General Administration	24%

Table VI: AI Cybersecurity Tool Adoption Rate by Hospital Department

5.7 Cross-Tabulation: Hospital Size vs AI Adoption

A chi-square test of association between hospital size and AI cybersecurity adoption yielded a statistically significant result ($\chi^2 = 14.87$, $df = 2$, $p < 0.05$), confirming that larger hospitals adopt AI-based security tools at meaningfully higher rates than mid-size hospitals.

Hospital Size	High Adoption	Moderate	Low Adoption
Large (500+ beds)	54%	31%	15%
Mid-size (150–500 beds)	28%	39%	33%

Table VII: Hospital Size vs AI Cybersecurity Adoption Level

5.8 Correlation: AI Security Perception vs Patient Trust

Respondents who rated AI security measures as highly effective also reported substantially higher trust in the hospital's data-handling practices, indicating a strong positive relationship between perceived AI effectiveness and patient trust.

Perceived AI Effectiveness	Respondents	High Patient Trust
High (4–5)	61	89%
Moderate (3)	58	57%
Low (1–2)	31	26%

Table VIII: Perceived AI Effectiveness vs Patient Trust Level

5.9 Willingness to Share Health Data with AI-Secured Systems by Age Group

Willingness to share personal health data with AI-secured hospital systems declines noticeably with age, as shown in Table IX, suggesting the need for age-sensitive trust-building communication.

Age Group	Willing to Share	Not Willing
18–30 years	71%	29%
31–45 years	63%	37%
46–60 years	48%	52%
Above 60 years	32%	68%

Table IX: Willingness to Share Health Data with AI-Secured Systems, by Age Group

5.10 Correlation Between Security Investment and Breach Frequency

Pearson correlation coefficients were computed between key risk/investment factors and reported breach frequency. Security investment level and staff training hours show negative correlation with breach frequency, while legacy system age and connected IoMT device count show positive correlation.

Factor	Correlation (r)	Significance
AI security investment level	-0.49	$p < 0.01$
Staff cybersecurity training hours	-0.36	$p < 0.01$
Legacy system age	0.41	$p < 0.01$
Number of connected IoMT devices	0.28	$p < 0.05$

Table X: Correlation Between Security Investment/Risk Factors and Breach Frequency

6. FINDINGS AND SUGGESTIONS

6.1 Key Findings

Primary Findings:

- Phishing and social engineering account for the largest share (34%) of reported cybersecurity incidents in multi-specialty hospitals, followed by ransomware/malware (26%).
- AI-based tools scored highest on faster threat detection (4.4/5) but lowest on full trust in autonomous AI decision-making (2.7/5), indicating hospitals still prefer human oversight in final security decisions.
- Large hospitals (500+ beds) show significantly higher AI cybersecurity adoption than mid-size hospitals ($\chi^2 = 14.87$, $p < 0.05$), largely due to greater budget flexibility.
- High implementation cost (33%) and legacy-system integration difficulty (27%) are the leading barriers to AI cybersecurity adoption.
- IT/network security departments show the highest AI adoption (68%), while general administration lags at 24%, revealing uneven security coverage across hospital functions.
- Perceived AI security effectiveness is strongly correlated with patient trust: 89% of respondents who rated AI measures highly effective also reported high trust in the hospital's data handling, versus 26% among those with low perceived effectiveness.
- Willingness to share health data with AI-secured systems declines sharply with age, from 71% among 18–30-year-olds to just 32% among those above 60.
- Security investment level and staff training hours are negatively correlated with breach frequency, while legacy-system age and IoMT device count are positively correlated—confirming that both financial investment and infrastructure modernization matter.

Dominant Incident Types:

Figure 1 illustrates the distribution of cybersecurity incident types reported across the surveyed hospitals, highlighting phishing and ransomware as the dominant threats that AI-powered detection systems must prioritize.



Figure 1: Types of Cybersecurity Incidents Reported by Multi-Specialty Hospitals

6.2 Suggestions

- Prioritize AI-based phishing detection and email-security tools first, given phishing accounts for the largest share of reported incidents.
- Adopt phased AI implementation—starting with high-risk departments (IT, billing) before extending to radiology, pharmacy, and administration—to manage cost and integration complexity.
- Invest in regular cybersecurity training for hospital staff across all departments, since training hours are negatively correlated with breach frequency.
- Modernize legacy systems incrementally, prioritizing those hosting the highest volume of patient data, to reduce the positive correlation between system age and breach risk.
- Maintain human-in-the-loop oversight for AI-driven security decisions to address the low trust (2.7/5) in fully autonomous AI decision-making.
- Develop age-sensitive patient communication on data-security measures, particularly for patients above 45, to address their lower willingness to share data with AI-secured systems.
- Establish transparent, rapid breach-notification protocols aligned with the Digital Personal Data Protection Act, 2023, since notification speed and transparency are more strongly linked to retained patient trust than breach severity itself.
- Explore blockchain-integrated EHR pilots in high-priority departments to improve data-integrity auditability alongside AI-based threat detection.

7. CONCLUSION

This study examined the adoption of AI-powered cybersecurity tools in multi-specialty hospitals and their relationship with patient trust and information security, surveying 150 respondents comprising IT/security staff, administrators, and patients. The findings confirm that AI-based tools meaningfully improve threat-detection speed and are positively associated with patient trust, yet adoption remains uneven—concentrated in large hospitals and IT-centric departments—while cost, legacy-system integration, and skilled-staff shortages continue to restrict broader implementation.

Patient trust is not simply a function of technology deployment but of perceived effectiveness, transparency, and communication: hospitals that both adopt strong AI security measures and communicate breach responses transparently are better positioned to retain patient confidence than those relying on technology alone. Age-based differences in willingness to share data further suggest that trust-building efforts must be tailored across patient demographics rather than treated uniformly.

As India's regulatory landscape matures under the Digital Personal Data Protection Act, 2023, and as cyberattacks on healthcare infrastructure continue to rise globally, the integration of AI-powered cybersecurity—balanced with human oversight, staff

training, and transparent governance—will be central to safeguarding patient data and sustaining trust in digitized healthcare delivery.

Future research could extend this study across a larger, more geographically diverse hospital sample and track how AI-security perceptions evolve following a hospital's actual experience of a breach.

8. REFERENCE

[1] E. Topol, Deep Medicine: How Artificial Intelligence Can Make Healthcare Human Again, Basic Books, New York, 2019.

[2] IBM Security / Ponemon Institute, "Cost of a Data Breach Report 2023," IBM Corporation, Armonk, NY, 2023.

[3] C. S. Kruse, B. Frederick, T. Jacobson, and D. K. Monticone, "Cybersecurity in Healthcare: A Systematic Review of Modern Threats and Trends," Technology and Health Care, vol. 25, no. 1, pp. 1–10, 2017.

[4] Indian Computer Emergency Response Team, "Advisory on Ransomware Threats to Healthcare Sector," CERT-In, New Delhi, 2023.

[5] Government of India, "Digital Personal Data Protection Act," Ministry of Electronics and Information Technology, New Delhi, 2023.

[6] Y. He, A. Aliyu, M. Evans, and C. Luo, "Health Care Cybersecurity Challenges and Solutions Under the Climate of COVID-19," Journal of Medical Internet Research, vol. 23, no. 4, 2021.

[7] European Union Agency for Cybersecurity, "ENISA Threat Landscape: Health Sector," ENISA, Athens, 2022.

[8] Y. Kwon and M. E. Johnson, "Healthcare Security Strategies for Data Protection and Regulatory Compliance," Journal of Management Information Systems, vol. 35, no. 2, pp. 451–491, 2018.

[9] H. Chen and Y. Zhao, "Blockchain-Based Electronic Health Record Systems: A Review," IEEE Access, vol. 8, pp. 168828–168845, 2020.

[10] HIPAA Journal, "Healthcare Data Breach Report 2023," HIPAA Journal, Portsmouth, NH, 2023.

[11] National Institute of Standards and Technology, "Zero Trust Architecture," NIST Special Publication 800-207, Gaithersburg, MD, 2020.

[12] R. Sharma and P. Verma, "Cybersecurity Readiness in Indian Hospitals: An Empirical Assessment," Journal of Health Information Management, vol. 16, no. 3, pp. 55–68, 2022.

[13] A. Gupta, S. Rao, and N. Iyer, "Patient Trust and Digital Health Data Sharing: An Indian Perspective," International Journal of Medical Informatics, vol. 152, 2021.

[14] World Health Organization, "Global Strategy on Digital Health 2020–2025," WHO, Geneva, 2021.

[15] Deloitte, "Healthcare Cybersecurity: The AI-Driven Response," Deloitte Insights, New York, 2022.

[16] Ponemon Institute, "The Impact of Data Breach Response on Consumer Trust," Ponemon Institute, Traverse City, MI, 2022.